NSN 3020-00-863-5633

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-863-5633

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Serration Quantity:
48 both ends
End Application:
M110 howitzer family
Pitch Diameter:
4.0833 inches
Teeth Quantity:
49
Bore Style:
Serrated both ends
Serration Pitch Diameter:
0.3000 inches both ends
Mounting Hole Thread Series Designator:
Unf axially through body, first end
Mounting Hole Thready Qty Per Inch (tpi):
28 axially through body, first end
Mounting Hole Thread Size:
0.250 inches axially through body, first end
Mounting Hole Type And Quantity:
3 threaded axially through body, first end
Outside Diameter:
4.151 inches
Pressure Angle:
30.0000 degrees
Face Width:
1.120 inches
Bolt Hole Circle Diameter:
3.500 inches axially through body, first end
Special Features:
Groove 0.380 w x 0.131 deep 0.380from one end
Material:
Steel comp 1040 or steel comp 1141
Surface Treatment:
Phosphate manganese
Surface Treatment Specification:
Dod-p-16232 ty m cl 2 military specification all treatment responses
Style Designator:

Hubless

NSN 3020-00-863-5633

Spur Gear - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	

Mil-std (military Standard):

spec.

Shelf Life: