NSN 3020-00-866-5212

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-866-5212 **Pilot Diameter:** 3.500 inches **Outside Diameter:** 6.281 inches **Overall Length:** 4.500 inches **Bolt Circle Diameter:** 5.250 inches Flange Thickness: 0.750 inches **Thread Size:** 3/8-16 **Bore Diameter:** 2.438 inches **Bore Length:** 4.500 inches Flange Outside Diameter: 6.062 inches **Securing Hole Quantity:** Face Width: 1.000 inches **Design Form:** Plain **Bore Type:** Straight **Counterbore Feature:** Not included **Lubrication Mode:** No visible means **Hole Location:** On flange face **Keying Facility:** Not included **Securing Method:** Threaded hole **Lightening Hole:** Not included **Protruding Hub Characteristic:** Stepped **Groove/step Location:**

Aa end

NSN 3020-00-866-5212 Sprocket Wheel - Page 2 of 2



Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
12
Hardness Rating Test Method:
Not rated
Bore Bearing:
Included
Hub External Keyway:
Not included
Tooth Pitch:
1.500 inches
Hub End Outside Diameter And Location:
3.750 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
2.625 inches aa end
Distance From Pilot End To Flange Face:
1.125 inches
First Step Face Largest Diameter And Location:
3.750 inches aa end
Second Step Face Largest Diameter And Location:
4.500 inches aa end
First Step Length And Location:
0.750 inches aa end
Second Step Length And Location:
0.312 inches aa end
Material:
Steel
Material:
Steel
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Т353-с