## NSN 3020-00-866-6506

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-866-6506

Body Style:
Plain, solid
Attachment Method:
Clamp
Pitch Diameter:
Between 1.4993 inches and 1.5000 inches
Teeth Quantity:
96
Bore Style:
Plain both ends
Outside Diameter:
1.530 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.270 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.250 inches first end
Precision Classification:
Quality number 12
End Diameter:
0.250 inches first end
First Step Length:
0.020 inches first end
First Step Diameter:
0.500 inches first end
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:

Surface Treatment Specification

Mil-a-8625, type 1 military specification single treatment response

## NSN 3020-00-866-6506

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
Demilitarization:

Mil-std (military Standard):

Mil-a-8625 spec.