NSN 3020-00-866-9870

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-866-9870

Attachment Method:

Clamp

Pitch Diameter:

1.3542 inches

Teeth Quantity:

130

Bore Style:

Plain both ends

Outside Diameter:

1.375 inches

Tooth Form:

Stub

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.165 inches first end

Face Width:

0.177 inches

Bore Diameter:

0.125 inches both ends

Hub Style Designator:

Split first end

Hub Diameter:

0.187 inches first end

Clamping Surface Length:

0.165 inches first end

Precision Classification:

Quality number 12

Material:

Steel comp 303s hub

Material Specification:

Mil-s-7720, conda military specification single material response hub

Surface Treatment:

Passivate hub

Surface Treatment Specification:

Mil-f-14072, finish e300 federal standard single treatment response hub

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

NSN 3020-00-866-9870

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.