## NSN 3020-00-868-6340

Spur Gear - Page 1 of 2

**Body Style:** Plain, solid

Copper alloy



View Online at https://aerobasegroup.com/nsn/3020-00-868-6340

Attachment Method:		
Mounting hole		
Pitch Diameter:		
2.2916 inches		
Teeth Quantity:		
110		
Bore Style:		
Plain both ends		
Mounting Hole Type And Quantity:		
1 plain transversely through hub, first end		
Outside Diameter:		
2.332 inches		
Nominallength:		
0.840 inches		
Tooth Form:		
Standard		
Pressure Angle:		
20.0000 degrees		
Distance Between Body Face And Protruding Hub End:		
0.490 inches first end		
Face Width:		
0.125 inches		
Bore Diameter:		
0.313 inches both ends		
Hub Style Designator:		
Pinned second end		
Hub Diameter:		
0.600 inches second end		
Precision Classification:		
Quality number 10 or quality number 11		
First Groove Width:		
0.039 inches first end		
First Groove Diameter:		
0.468 inches first end		
Distance From End To First Groove:		
0.133 inches first end		
Mounting Hole Diameter:		
0.046 inches transversely through hub, first end		
Material:		

## NSN 3020-00-868-6340

Spur Gear - Page 2 of 2



•		
StVID	l Jacian	ator.
OLYIC	Design	atoi.

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300