NSN 3020-00-868-9008

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-868-9008 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 4.1670 inches **Teeth Quantity:** 25 **Bore Style:** 10a w/ keyway both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 20 transversely through hub, first end **Mounting Hole Thread Size:** 0.250 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter: 4.433** inches Nominallength: 6.000 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 3.000 inches first end **Face Width:** 3.000 inches **Bore Diameter:** 1.750 inches both ends **Keyway Width:** 0.375 inches both ends **Distance From Bore Center To Keyway Bottom:** 1.062 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 1.750 inches first end

Precision Classification:

Quality number 10 or quality number 11

NSN 3020-00-868-9008

Spur Gear - Page 2 of 2



RЛ	ate	ria	ı.
IVI	ale	па	I -

Steel

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300