NSN 3020-00-868-9825

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-868-9825

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
9.2500 inches
Teeth Quantity:
74
Bore Style:
W/stepped counterbore second end
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Hardness Rating:
58.0 rockwell c teeth and 62.0 rockwell c teeth
Mounting Hole Thread Size:
0.375 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 plain axially through body, second end
Outside Diameter:
9.449 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
3.687 inches first end
Face Width:
1.125 inches
Bore Diameter:
2.875 inches both ends
Counterbore Depth:
3.188 inches counterbore, first end
Counterbore Diameter:
5.500 inches first counterbore, second end
Hub Style Designator:
Plain first end
Hub Diameter:
4.875 inches first end
Mounting Hole Diameter:
0.562 inches axially through body, second end
Special Features:
Slotted counterbore, second end; 0.125 in wide, 1.750 in.From end

NSN 3020-00-868-9825

Spur Gear - Page 2 of 2

No Fiig: A27300



Material:
Steel comp 4620
Material Specification:
Fed standard 66 federal standard single material response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: