NSN 3020-00-869-7307

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-869-7307

Body Style:

Body	Style:
Plain,	solid
Attach	ment Method:
Clamp	
Pitch I	Diameter:
Betwee	en 1.5615 inches and 1.5625 inches
Teeth	Quantity:
150	
Bore S	Style:
Plain b	ooth ends
Backla	ash Designation:
Grade	С
Outsic	le Diameter:
1.583 i	nches
Tooth	Form:
Standa	ard
Pressi	ure Angle:
20.000	0 degrees
Distan	ce Between Body Face And Protruding Hub End:
0.264 i	inches first end
Face V	Vidth:
0.125 i	nches
Bore D	Diameter:
0.125 i	inches both ends
Hub S	tyle Designator:
Plain fi	irst end
Hub D	iameter:
0.375 i	inches first end
Clamp	ing Surface Length:
0.220 i	inches first end
Precis	ion Classification:
Quality	number 10 or quality number 11
Materi	al:
Alumin	ium alloy 2024
Materi	al Specification:
Qq-a-2	225/6, t4 federal specification single material response
Surfac	e Treatment:
Anodiz	re
Style [Designator:
Protruc	ding hub
Shelf I	Life:

N/a

NSN 3020-00-869-7307 Spur Gear - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

Demilitarization:

No

Fiig:

A27300