NSN 3020-00-870-6255

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-870-6255 **Body Style:** Plain, solid **Spline Quantity:** 6 both ends Pitch Diameter: 3.3333 inches **Teeth Quantity:** 15 **Bore Style:** Straight spline both ends Hardness Rating: 58.0 rockwell c and 62.0 rockwell c **Outside Diameter:** 3.666 inches **Tooth Form:** Stub **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.288 inches first end Face Width: 1.273 inches **Bore Diameter:** 1.372 inches both ends **Counterbore Depth:** 0.875 inches second end **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.984 inches both ends **Special Features:** Counterbore 2nd end, 1.381 in. Nom diameter by 0.875 in. Nom deep; 2nd hub end chamfered 30.0 degs, 0.146 in. Nom depth Material: Steel **Surface Treatment:** Phosphate manganese **Surface Treatment Specification:** Mil-p-16232 type m, class 2 military specification single treatment response **Style Designator:** Protruding hubs

N/a

Shelf Life:

NSN 3020-00-870-6255

Spur Gear - Page 2 of 2



Init	<i>(</i>)+	Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-p-16232 spec.