NSN 3020-00-871-6882

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-871-6882

Attachment Method:
Mounting hole
Pitch Diameter:
1.9380 inches
Teeth Quantity:
93
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
40 transversely through hub, first end
Mounting Hole Thread Size:
0.112 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
1.9790 inches
Nominallength:
0.375 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.563 inches first end
Special Features:
Attaching holes spaced 90 degrees apart through hub
Material:
Steel comp 303 hub
Material Specification:
Qq-s-763, class 303, cond a federal specification single material response hub
Surface Treatment:
Passivate hub

NSN 3020-00-871-6882

Spur Antibacklash Gear - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300