NSN 3020-00-873-3430



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-873-3430 **Body Style:** Plain, solid Pitch Diameter: Between 2.7470 inches and 2.7500 inches **Teeth Quantity:** 22 **Bore Style:** 10a w/ keyway both ends **Hardness Rating:** 25.0 rockwell c and 30.0 rockwell c **Outside Diameter:** 3.000 inches **Tooth Form:** Standard Pressure Angle: 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.469 inches first end Face Width: 0.375 inches **Bore Diameter:** 0.437 inches both ends **Keyway Width:** 0.063 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 1.250 inches first end Material:

| Steel |
|---|
| Material Specification: |
| Mil-s-5625 military standard single material response |
| Style Designator: |
| Protruding hub |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| |

NSN 3020-00-873-3430

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-s-5625 spec.