## NSN 3020-00-877-0300

Worm Wheel Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-877-0300

| Body Style:   |
|---|
| Webbed, offset, solid   |
| Attachment Method:  |
| Mounting hole   |
| Pitch Diameter:   |
| 0.6250 inches   |
| Teeth Quantity:   |
| 40  |
| Face Type:  |
| Concave   |
| Bore Style:   |
| Plain both ends   |
| Mounting Hole Type And Quantity:  |
| 2 plain axially through body, first end   |
| Outside Diameter:   |
| 0.672 inches  |
| Tooth Direction:  |
| Right   |
| Throat Radius:  |
| 0.250 inches  |
| Mating Thread Lead Quantity:  |
| 1   |
|   |
| Pressure Angle:   |
| Pressure Angle: 14.5000 degrees   |
|   |
| 14.5000 degrees   |
| 14.5000 degrees Helix Angle:  |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End:  |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end   |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth:   |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth: 0.125 inches first end  |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth: 0.125 inches first end  Face Width:   |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth: 0.125 inches first end  Face Width: 0.180 inches  |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth: 0.125 inches first end  Face Width: 0.180 inches  Bore Diameter:  |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth: 0.125 inches first end  Face Width: 0.180 inches  Bore Diameter: 0.187 inches both ends   |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth: 0.125 inches first end  Face Width: 0.180 inches  Bore Diameter: 0.187 inches both ends  Hub Style Designator:  |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth: 0.125 inches first end  Face Width: 0.180 inches  Bore Diameter: 0.187 inches both ends  Hub Style Designator:  Plain first end                                       |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth: 0.125 inches first end  Face Width: 0.180 inches  Bore Diameter: 0.187 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter:                        |
| 14.5000 degrees  Helix Angle: 1.7831 degrees  Distance Between Body Face And Protruding Hub End: 0.300 inches first end  Body Recess Depth: 0.125 inches first end  Face Width: 0.180 inches  Bore Diameter: 0.187 inches both ends  Hub Style Designator:  Plain first end  Hub Diameter: 0.375 inches first end |

Boil Hole Officie Blameter

0.375 inches axially through body, first end

## NSN 3020-00-877-0300

Worm Wheel Gear - Page 2 of 2



Material:

Copper alloy

Style Designator:

Protruding hub, recessed body

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300