NSN 3020-00-877-0373

Worm Wheel Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-877-0373

| Body Style: |
|--|
| Plain, solid |
| Attachment Method: |
| Mounting hole |
| Pitch Diameter: |
| 0.6245 inches |
| Teeth Quantity: |
| 40 |
| Face Type: |
| Concave |
| Bore Style: |
| W/counterbore counter bore, second end |
| Mounting Hole Type And Quantity: |
| 2 plain axially through body, first end |
| Outside Diameter: |
| 0.656 inches |
| Tooth Direction: |
| Right |
| Pressure Angle: |
| 14.5000 degrees |
| Helix Angle: |
| 1.7831 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.300 inches first end |
| Face Width: |
| 0.180 inches |
| Bore Diameter: |
| 0.187 inches counter bore, second end |
| Counterbore Depth: |
| 0.125 inches counter bore, second end |
| Counterbore Diameter: |
| 0.531 inches counter bore, second end |
| Hub Style Designator: |
| Plain first end |
| Hub Diameter: |
| 0.375 inches first end |
| Mounting Hole Diameter: |
| 0.110 inches axially through body, first end |
| Bolt Hole Circle Diameter: |
| 0.375 inches axially through body, first end |
| Material: |
| Copper alloy |

NSN 3020-00-877-0373

Worm Wheel Gear - Page 2 of 2



| Material Specification: |
|--|
| Mil-b-994, comp a military standard single material response |
| Style Designator: |
| Protruding hub |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |

Mil-b-994 spec.

Mil-std (military Standard):

A27300