## NSN 3020-00-887-7829

Spur Gear - Page 1 of 2

**Body Style:** Plain, solid



View Online at https://aerobasegroup.com/nsn/3020-00-887-7829

Attachment Method:
Mounting hole
Pitch Diameter:
0.8333 inches
Teeth Quantity:
100
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unf transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
80 transversely through hub, first end
Mounting Hole Thread Size:
0.060 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
0.850 inches
Nominallength:
0.220 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.125 inches first end
Face Width:
0.095 inches
Bore Diameter:
0.120 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.250 inches first end
Precision Classification:
Quality number 10 or quality number 11
Material:
Steel comp 416
Material Specification:
Qq-s-763, class 416, cond a federal specification single material response

## NSN 3020-00-887-7829

Spur Gear - Page 2 of 2



$\overline{}$			-			
<u>ن</u>	irto	2	Iro	atn	าคท	

Passivate

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300