## NSN 3020-00-890-0477



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-890-0477 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.8750 inches **Teeth Quantity:** 42 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.942 inches Nominallength: 0.250 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.170 inches first end **Face Width:** 0.080 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.500 inches first end **Precision Classification:** Quality number 11 Material:

Aluminum alloy 2017

Material Specification:

Qq-a-225/5, t4 federal specification single material response

## NSN 3020-00-890-0477

Spur Gear - Page 2 of 2



_	•	-	_		
<b>C</b> :	ırta	^^	ros	at m	ent:

Anodize

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300