NSN 3020-00-891-4032



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-891-4032 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6250 inches **Teeth Quantity:** 60 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.645 inches Nominallength: 0.236 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.174 inches first end **Face Width:** 0.062 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:**

0.312 inches first end **Precision Classification:**

Quality number 12

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6, t351 federal specification single material response

NSN 3020-00-891-4032

Spur Gear - Page 2 of 2



_	•		_	-		
ن	ırfa	\sim	I ro	-atn	nor	٠.

Anodize

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300