## NSN 3020-00-891-4034



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-891-4034 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.2812 inches **Teeth Quantity:** 27 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unf transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 80 transversely through hub, first end **Mounting Hole Thread Size:** 0.060 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 plain transversely through hub, first end and 1 threaded transversely through hub, first end **Outside Diameter:** 0.300 inches Nominallength: 0.211 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.118 inches first end **Face Width:** 0.092 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** 

Pinned first end

**Hub Diameter:** 

0.240 inches first end

**Precision Classification:** 

Quality number 12

**Mounting Hole Diameter:** 

0.052 inches transversely through hub, first end

Material:

Steel

## **NSN 3020-00-891-4034** Spur Gear - Page 2 of 2

Fiig: A27300



Material Specification:
Qq-s-764 federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No