NSN 3020-00-891-5237



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-891-5237 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6250 inches **Teeth Quantity:** 60 **Bore Style:** Plain both ends **Backlash Designation:** Grade c **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.646 inches Nominallength: 0.375 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:**

0.188 inches both ends

Hub Style Designator:

Pinned first end

Hub Diameter:

0.375 inches first end

Precision Classification:

Quality number 10 or quality number 11

Material:

Aluminum alloy 2024

NSN 3020-00-891-5237

Spur Gear - Page 2 of 2

A27300

Mil-a-8625 spec.

Mil-std (military Standard):

