## NSN 3020-00-891-5866

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-891-5866

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.9370 inches
Teeth Quantity:
60
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
40 transversely through hub, first end
Mounting Hole Thread Size:
0.112 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
0.968 inches
Nominallength:
0.688 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.312 inches second end
Face Width:
0.125 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
0.500 inches second end
Special Features:
Incorporates a built in travel stop
Material:
Steel comp 303
Material Specification:

Mil-s-7720, comp 303s, cond a military specification single material response

## NSN 3020-00-891-5866

Spur Gear - Page 2 of 2

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.

