NSN 3020-00-893-1068



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-893-1068 **Body Style:** Plain, solid **Pitch Diameter:** Between 0.4573 inches and 0.4583 inches **Teeth Quantity:** 22 **Bore Style:** Plain both ends **Outside Diameter:** 0.499 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.187 inches first end

Face Width:

0.125 inches

Bore Diameter:

0.125 inches both ends

Hub Style Designator:

Pinned first end

Hub Diameter:

0.312 inches first end

Precision Classification:

Quality number 10 or quality number 11

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

NSN 3020-00-893-1068

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.