# NSN 3020-00-893-8310

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-893-8310

Body Style:

Plain, solid

**Attachment Method:** 

Mounting hole

# Serration Quantity:

23 both ends

## **Pitch Diameter:**

1.5000 inches

## **Teeth Quantity:**

24

# Bore Style:

Serrated both ends

#### Serration Pitch Diameter:

0.7188 inches both ends

#### Hardness Rating:

58.0 rockwell c and 63.0 rockwell c

# Mounting Hole Type And Quantity:

2 plain transversely through hub, first end

#### **Outside Diameter:**

1.615 inches

## Nominallength:

0.873 inches

## Tooth Form:

Standard

## Pressure Angle:

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.300 inches first end

## Face Width:

0.562 inches

#### Hub Style Designator:

Pinned first end

#### Hub Diameter:

1.000 inches first end

#### **Precision Classification:**

Quality number 9

## Mounting Hole Diameter:

0.096 inches transversely through hub, first end

#### Material:

Steel

#### **Material Specification:**

Qq-s-624 federal specification single material response

# NSN 3020-00-893-8310

Spur Gear - Page 2 of 2

Surface Treatment:

Passivate

# Style Designator:

Protruding hub

Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

Fiig:

A27300

