NSN 3020-00-899-3596

Spur Gear - Page 1 of 2

Bolt Hole Circle Diameter:



View Online at https://aerobasegroup.com/nsn/3020-00-899-3596

Body Style:
Webbed, solid
Attachment Method:
Mounting hole
Pitch Diameter:
13.9000 inches
Teeth Quantity:
139
Mounting Hole Thread Series Designator:
Unc axially through body, first end
Hardness Rating:
48.0 rockwell c teeth and 54.0 rockwell c teeth
Mounting Hole Thread Size:
0.375 inches axially through body, first end
Mounting Hole Type And Quantity:
6 counterbored axially through body, first end and 4 plain axially through body, first end and 4 threaded axially through body, first end
Outside Diameter:
14.100 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.264 inches first end
Face Width:
1.000 inches
Hub Style Designator:
Plain second end
Hub Diameter:
5.625 inches second end
End Length:
0.171 inches first end
End Diameter:
4.875 inches first end
First Step Length:
0.093 inches first end
First Step Diameter:
7.500 inches first end
Mounting Hole Diameter:
0.562 inches axially through body, first end and 0.265 inches axially through body, first end

11.500 inches axially through body, first end and 6.625 inches axially through body, first end and 5.062 inches axially through body.

NSN 3020-00-899-3596

Spur Gear - Page 2 of 2

Material:

A27300



Steel
Material Specification:
Qq-s-624 federal specification single material response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: