NSN 3020-00-901-1017

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-901-1017 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.3437 inches **Teeth Quantity:** 43 **Bore Style:** Plain first end **Mounting Hole Thread Series Designator:** Unc axially through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 axially through hub, first end Hardness Rating: 30.0 rockwell c teeth and 35.0 rockwell c teeth **Mounting Hole Thread Size:** 0.138 inches axially through hub, first end **Mounting Hole Type And Quantity:** Threaded axially through hub, first end **Outside Diameter:** 1.406 inches Nominallength: 0.625 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.312 inches first end **Face Width:** 0.312 inches **Bore Diameter:** 0.250 inches first end **Hub Style Designator:** Plain first end **Hub Diameter:** 0.750 inches first end **Special Features:** Bore provision included; bore length 0.625 in.; circular pitch 0.09818 in.

Material:

Steel

NSN 3020-00-901-1017

Spur Gear - Page 2 of 2

Fiig: A27300



Material Specification:
Qq-s-763, class 6 federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No