

View Online at <https://aerobasegroup.com/nsn/3020-00-901-3748>

**Outside Diameter:**

Between 1.272 inches and 1.276 inches

**Overall Length:**

0.375 inches

**Thread Size:**

0.138-32

**Bore Diameter:**

0.250 inches

**Bore Length:**

0.375 inches

**Drilled Hole Diameter:**

0.067 inches

**Pitch Diameter:**

Between 1.222 inches and 1.224 inches

**Securing Hole Quantity:**

1 or 1

**Furnished Items And Quantity:**

Setscrew 1

**Face Width:**

0.125 inches

**Design Form:**

Plain

**Bore Type:**

Straight

**Counterbore Feature:**

Not included

**Hole Location:**

Centered 0.120 in. From end of hub

**Keying Facility:**

Not included

**Securing Method:**

Drilled hole or threaded hole

**Lightening Hole:**

Not included

**Protruding Hub Characteristic:**

Plain

**Securing Location:**

Aa end

**Belt/chain/film Size For Which Designed:**

Roller chain

**Roller Chain Pitch Type For Which Designed:**

Single pitch

**Teeth Row Quantity:**

1

**Teeth Quantity Per Row:**

26

**Hardness Rating Test Method:**

Not rated

**Bore Bearing:**

Not included

**Hub External Keyway:**

Not included

**Tooth Pitch:**

0.1475 inches

**Hub End Outside Diameter And Location:**

0.500 inches aa end

**Distance From Outside Flange/rim To Hub End And Location:**

0.250 inches aa end

**Special Features:**

Teeth 0.062 in. W

**Material:**

Steel, qq-s-764, type 303-canceled

**Material:**

Steel comp 303

**Material Specification:**

Qq-s-764, type 303-canceled federal specification single material response

**Surface Treatment:**

Passivate

**Style Designator:**

Plain

**Surface Treatment:**

Passivated

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-c