

View Online at <https://aerobasegroup.com/nsn/3020-00-902-1612>

Outside Diameter:

2.814 inches

Overall Length:

0.875 inches

Keyway Width:

0.191 inches

Thread Size:

1/4-20

Bore Diameter:

Between 0.875 inches and 0.878 inches

Bore Length:

0.875 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.534 inches

Pitch Diameter:

2.563 inches

Securing Hole Quantity:

1

Furnished Items And Quantity:

1 setscrew

Face Width:

0.284 inches

Guide:

Not included

Design Form:

Plain

Bore Type:

Straight

Counterbore Feature:

Not included

Lubrication Mode:

No visible means

Hole Location:

Located on top of key

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Threaded hole

Lightening Hole:

Not included

Protruding Hub Characteristic:

Plain

Securing Location:

Aa end

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

Teeth Row Quantity:

1

Teeth Quantity Per Row:

16

Asa Standard Chain Number:

40

Hardness Rating Test Method:

Not rated

Bore Bearing:

Not included

Hub External Keyway:

Not included

Tooth Pitch:

0.500 inches

Hub End Outside Diameter And Location:

2.000 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

0.591 inches both ends

Material:

Steel

Material:

Steel

Quantity:

1

Surface Treatment:

Cadmium

Style Designator:

Plain

Surface Treatment:

Cadmium plated

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-c