

View Online at <https://aerobasegroup.com/nsn/3020-00-902-1612>

**Outside Diameter:**

2.814 inches

**Overall Length:**

0.875 inches

**Keyway Width:**

0.191 inches

**Thread Size:**

1/4-20

**Bore Diameter:**

Between 0.875 inches and 0.878 inches

**Bore Length:**

0.875 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

0.534 inches

**Pitch Diameter:**

2.563 inches

**Securing Hole Quantity:**

1

**Furnished Items And Quantity:**

1 setscrew

**Face Width:**

0.284 inches

**Guide:**

Not included

**Design Form:**

Plain

**Bore Type:**

Straight

**Counterbore Feature:**

Not included

**Lubrication Mode:**

No visible means

**Hole Location:**

Located on top of key

**Keying Facility:**

Included

**Keying Facility Type:**

Keyway

**Securing Method:**

Threaded hole

**Lightening Hole:**

Not included

**Protruding Hub Characteristic:**

Plain

**Securing Location:**

Aa end

**Belt/chain/film Size For Which Designed:**

Roller chain

**Roller Chain Pitch Type For Which Designed:**

Single pitch

**Teeth Row Quantity:**

1

**Teeth Quantity Per Row:**

16

**Asa Standard Chain Number:**

40

**Hardness Rating Test Method:**

Not rated

**Bore Bearing:**

Not included

**Hub External Keyway:**

Not included

**Tooth Pitch:**

0.500 inches

**Hub End Outside Diameter And Location:**

2.000 inches both ends

**Distance From Outside Flange/rim To Hub End And Location:**

0.591 inches both ends

**Material:**

Steel

**Material:**

Steel

**Quantity:**

1

**Surface Treatment:**

Cadmium

**Style Designator:**

Plain

**Surface Treatment:**

Cadmium plated

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T353-c