NSN 3020-00-903-4132

Cone Pulley - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/3020-00-903-4132 **Groove Depth:** 0.156 inches **Groove Width:** 0.145 inches **Overall Length:** 0.640 inches **Bore Diameter:** 0.250 inches **Bore Length:** 0.562 inches **Drilled Hole Diameter:** 0.125 inches **Groove Radius:** 0.049 inches **Securing Hole Quantity:** Face Type: Step groove **Material And Location:** Aluminum alloy, qq-a-225/8 Face Width: 0.310 inches **Design Form:** Webbed **Bore Type:** Straight **Groove Quantity: Counterbore Feature:** Not included **Step Outside Diameter:** Located 0.160 in. And 0.480 in. From end of hub

3.312 inches and 1.812 inches **Bearing Quantity:** 1 **Hole Location: Keying Facility:** Not included **Securing Method:** Drilled hole **Split Hub Feature:** Not included

NSN 3020-00-903-4132 Cone Pulley - Page 2 of 3



Web/spoke Relationship To Face Centerline:
Not offset
Lightening Hole:
Not included
Integral Cooling Vane:
Not included
Groove Shape:
U
Bearing Type:
Ball
Protruding Hub Characteristic:
Grooved
Groove/step Location:
Aa end
Securing Location:
Aa end
Bore Bearing:
Included
Hub End Outside Diameter And Location:
1.812 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.320 inches aa end
First End Groove Diameter And Location:
1.500 inches aa end
First End Groove Width And Location:
0.145 inches aa end
First End Length From Groove To End And Location:
0.083 inches aa end
Hub End Outside Diameter And Location:
1.812 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.320 inches aa end
Surface Treatment:
Anodize
Style Designator:
Webbed or spoked
Surface Treatment:
Anodized
Fsc Application Data:
Door, main landing gear, airframe
Shelf Life:
N/a
Unit Of Maggura

NSN 3020-00-903-4132

Cone Pulley - Page 3 of 3



em			

No

Fiig:

T353-b