NSN 3020-00-903-5831

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-903-5831

Body Style:
Plain, solid
Pitch Diameter:
1.6041 inches
Teeth Quantity:
77
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
1.645 inches
Nominallength:
0.340 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.220 inches first end
Face Width:
0.120 inches
Bore Diameter:
0.187 inches both ends
Bore Depth:
0.340 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.380 inches first end
Precision Classification:
Quality number 10
Special Features:
Distance from first end of hub to center of tapped hole 0.130 nom in.
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, alloy 2024, t4 federal specification single material response
Surface Treatment:
Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

NSN 3020-00-903-5831

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300

Mil-std (military Standard):

Mil-a-8625 spec.