## NSN 3020-00-903-5833

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-903-5833

Body Style:
Plain, solid
Pitch Diameter:
Between 0.6553 inches and 0.6563 inches
Teeth Quantity:
21
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
0.717 inches
Nominallength:
0.400 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.220 inches first end
Face Width:
0.180 inches
Bore Diameter:
0.187 inches both ends
Bore Depth:
0.400 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.380 inches first end
Precision Classification:
Quality number 10
Special Features:
Distance from first end of hub to center of tapped hole 0.130 nom in.
Material:
Steel comp 8740h
Material Specification:
Qq-s-624, comp 8740h federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub

## NSN 3020-00-903-5833

Spur Gear - Page 2 of 2



-					
•	he	1+	18	Δ	•

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300