NSN 3020-00-903-6526

Spur Gear - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/3020-00-903-6526

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.6875 inches
Teeth Quantity:
44
Bore Style:
Plain first end
Mounting Hole Thread Series Designator:
Unc axially through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
40 axially through hub, first end
Mounting Hole Thread Size:
0.112 inches axially through hub, first end
Mounting Hole Type And Quantity:
2 threaded axially through hub, first end
Nominallength:
0.300 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.140 inches first end
Face Width:
0.160 inches
Hub Style Designator:
Plain first end
Special Features:
Outside diameter 0.717min 0.719max in.; bore provision included; bore diameter 0.1201min 0.1205max in.; bore length 0.3 in.; hub
diameter 0.49min 0.51max in.; circular pitch 0.04837 in.
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, alloy 2024, t4 federal specification single material response
Surface Treatment:
Anodize
Style Designator:
Protruding hub
Shelf Life:

NSN 3020-00-903-6526

Spur Gear - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A27300