NSN 3020-00-903-9574



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-903-9574 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6666 inches **Teeth Quantity:** 64 **Bore Style:** Plain both ends **Backlash Designation:** Grade c **Mounting Hole Type And Quantity:** 1 plain axially through hub, first end **Outside Diameter:** 0.687 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.095 inches first end **Face Width:** 0.062 inches **Bore Diameter:** 0.156 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.312 inches first end **Precision Classification:** Quality number 10 **Mounting Hole Diameter:** 0.039 inches axially through hub, first end Material: Steel comp 303 **Material Specification:** Qq-s-764, cond a federal specification single material response **Surface Treatment: Passivate**

Style Designator:

Protruding hub

NSN 3020-00-903-9574

Spur Gear - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300