NSN 3020-00-904-8406

Sprocket Wheel - Page 1 of 2

Outside Diameter:



View Online at https://aerobasegroup.com/nsn/3020-00-904-8406

1.650 inches
Overall Length:
0.900 inches
Keyway Width:
0.125 inches
Bore Diameter:
0.750 inches
Bore Length:
0.900 inches
Distance From Center Of Bore To Bottom Of Keyway:
0.437 inches
Pitch Diameter:
1.519 inches
Face Width:
0.110 inches
Design Form:
Plain
Bore Type:
Straight
Metallic Hardness Rating And Location:
45.0 rockwell c hub and 50.0 rockwell c hub
Counterbore Feature:
Not included
Keying Facility:
Included
Keying Facility Type:
Keyway
Lightening Hole:
Not included
Protruding Hub Characteristic:
Stepped
Groove/step Location:
Both ends
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1

NSN 3020-00-904-8406 Sprocket Wheel - Page 2 of 2



Asa Standard Chain Number:
25
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
Between 45.0 rockwell c and 50.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.080 inches
Hub End Outside Diameter And Location:
0.990 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.790 inches both ends
First Step Face Largest Diameter And Location:
1.120 inches both ends
First Step Length And Location:
0.340 inches both ends
Material:
Steel, sae 4140
Material:
Steel comp 4140
Material Specification:
Sae 4140 assn standard single material response
Quantity:
1
Surface Treatment:
Cadmium
Style Designator:
Plain
Surface Treatment:
Cadmium plated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c