NSN 3020-00-907-7945

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-907-7945

| Body Style: |
|--|
| Webbed, offset, with lightening holes |
| Attachment Method: |
| Mounting hole |
| Pitch Diameter: |
| 4.0000 inches |
| Teeth Quantity: |
| 48 |
| Bore Style: |
| Flatted sides both ends |
| Mounting Hole Type And Quantity: |
| 3 plain axially through body, first end |
| Outside Diameter: |
| 4.142 inches |
| Nominallength: |
| 0.982 inches |
| Tooth Form: |
| Standard |
| Pressure Angle: |
| 20.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.492 inches first end |
| Body Recess Depth: |
| 0.290 inches second end |
| Face Width: |
| 0.500 inches |
| Radius: |
| 0.749 inches both ends |
| Hub Style Designator: |
| Plain first end |
| Hub Diameter: |
| 1.120 inches first end |
| Precision Classification: |
| Quality number 7 |
| Mounting Hole Diameter: |
| 0.251 inches axially through body, first end |
| Bolt Hole Circle Diameter: |
| 0.601 inches axially through body, first end |
| Material: |
| Steel |
| Material Specification: |

material opecification.

Qq-s-624 federal specification single material response

NSN 3020-00-907-7945

Spur Gear - Page 2 of 2



| ^ | | - | | | |
|-----|-------|-----|-----|-----|---|
| SII | rface | ıre | atm | ent | ۰ |
| | | | | | |

Passivate

Style Designator:

Protruding hub, recessed body

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300