## NSN 3020-00-907-8577

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-907-8577 **Attachment Method:** Mounting hole Pitch Diameter: 0.4160 inches **Teeth Quantity:** 50 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unf transversely through hub, first end **Mounting Hole Thread Size:** 0.060 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.429 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.016 inches second end **Face Width:** 0.140 inches **Bore Diameter:** 0.101 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 0.250 inches first end Material: Steel comp 303 **Material Specification:** Qq-s-763, cond a federal specification single material response **Surface Treatment: Passivate Style Designator:** Protruding hubs Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 3020-00-907-8577

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300