

View Online at <https://aerobasegroup.com/nsn/3020-00-908-0947>

**Outside Diameter:**

Between 0.999 inches and 1.001 inches

**Overall Length:**

0.718 inches

**Thread Size:**

No. 6 /0.138/-32

**Bore Diameter:**

0.375 inches

**Bore Length:**

0.718 inches

**Securing Hole Quantity:**

2

**Material And Location:**

Steel, qq-s-763, class 310

**Face Width:**

0.312 inches

**Design Form:**

Plain

**Bore Type:**

Straight

**Bearings:**

Not included

**Counterbore Feature:**

Not included

**Hole Location:**

90 degrees apart 0.218 in. From hub end

**Keying Facility:**

Not included

**Securing Method:**

Threaded hole

**Split Hub Feature:**

Not included

**Lightening Hole:**

Not included

**Integral Cooling Vane:**

Not included

**Crown Face:**

Included

**Rim Type:**

Solid

**Bore Feature:**

Included

**Protruding Hub Characteristic:**

Stepped

**Securing Location:**

Aa end

**Hub End Outside Diameter And Location:**

0.500 inches aa end

**Distance From Outside Flange/rim To Hub End And Location:**

0.406 inches aa end

**First Step Face Largest Diameter And Location:**

0.625 inches both ends

**First Step Length And Location:**

0.032 inches both ends

**Surface Treatment:**

Passivate

**Style Designator:**

Plain

**Surface Treatment:**

Passivated

**Reference Number Differentiating Characteristics:**

Mil-q-21549b-sp24-1

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T353-a

**Mil-std (military Standard):**

Mil-q-21549 spec.