## NSN 3020-00-908-1665

Bevel Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-908-1665

View Online at https://aerobasegroup.com/nsn/3020-00-908-1665
Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.6250 inches
Teeth Quantity:
30
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, second end
Mounting Hole Thread Size:
0.112 inches transversely through hub, second end
Mounting Hole Type And Quantity:
1 plain transversely through hub, second end and 2 threaded transversely through hub, second end
Outside Diameter:
0.6406 inches
Nominallength:
0.5000 inches
Teeth Type:
Straight
Pressure Angle:
20.0000 degrees
Pitch Angle:
45.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.270 inches second end
Face Width:
0.180 inches
Bore Diameter:
0.1550 inches both ends
Hub Style Designator:
Plain second end
Hub Diameter:
0.410 inches second end
Precision Classification:
Quality number 10
Mounting Hole Diameter:
0.067 inches transversely through hub, second end
Material:

Aluminum alloy 2024

## NSN 3020-00-908-1665

Bevel Gear - Page 2 of 2



## **Material Specification:**

Qq-a-225/6, t4 federal specification single material response or qq-a-25/4, t351 federal specification single material response

## Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response

Style Designator:

Peripheral face, back hub protruding

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization: No Fiig: A27300 Mil-std (military Standard):

Mil-a-8625 spec.