## NSN 3020-00-911-2621

View Online at https://aerobasegroup.com/nsn/3020-00-911-2621

Spur Gear - Page 1 of 2

**Body Style:** Plain, solid



**Attachment Method:** Mounting hole Pitch Diameter: 0.8542 inches **Teeth Quantity:** 82 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.875 inches Nominallength: 0.259 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.169 inches first end **Face Width:** 0.060 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 0.345 inches first end **Precision Classification:** Quality number 9 Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response

## NSN 3020-00-911-2621

Spur Gear - Page 2 of 2



$\overline{}$			-			
<u>ن</u>	irto	2	Iro	atn	าคท	

Passivate

**Style Designator:** 

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300