## NSN 3020-00-912-2016



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-912-2016 **Body Style:** Plain, solid **Attachment Method:** Clamp Pitch Diameter: Between 1.8740 inches and 1.8750 inches **Teeth Quantity:** 120 **Bore Style:** Plain both ends **Backlash Designation:** Grade c **Outside Diameter:** 1.905 inches Nominallength: 0.344 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.219 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.187 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.250 inches first end **Clamping Surface Length:** 0.219 inches first end **Precision Classification:** Quality number 10 Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response **Surface Treatment:** 

**Passivate Style Designator:** Protruding hub

## NSN 3020-00-912-2016

Spur Gear - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300