## NSN 3020-00-913-0052

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-913-0052

Body Style:
Plain, solid
Attachment Method:
Clamp
Pitch Diameter:
1.6666 inches
Teeth Quantity:
80
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
1.7083 inches
Tooth Form:
Special
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.2810 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.1248 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.1880 inches first end
Clamping Surface Length:
0.250 inches first end
Precision Classification:
Quality number 10
Material:
Aluminum alloy 2025
Material Specification:
Qq-a-225/6 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Style Designator:
Protruding hub

## NSN 3020-00-913-0052

Spur Gear - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A27300	

Mil-std (military Standard):

Mil-a-8625 spec.

Shelf Life: