NSN 3020-00-914-2050

Sprocket Wheel - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/3020-00-914-2050
Outside Diameter:
1.380 inches
Overall Length:
0.750 inches
Thread Size:
No.10 (0.190 in.) -32
Bore Diameter:
0.553 inches
Bore Length:
0.750 inches
Pitch Diameter:
1.175 inches
Securing Hole Quantity:
1
Face Width:
0.168 inches
Guide:
Not included
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Lubrication Mode:
No visible means
Hole Location:
Located 0.375 in. From end of hub
Keying Facility:
Not included
Securing Method:
Threaded hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Grooved

Groove/step Location:

Aa end

Securing Location:

Both ends

Belt/chain/film Size For Which Designed:

Roller chain

NSN 3020-00-914-2050 Sprocket Wheel - Page 2 of 3



Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
10
Asa Standard Chain Number:
35
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.375 inches
Hub End Outside Diameter And Location:
0.969 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.582 inches both ends
Second Step Length And Location:
0.969 inches both ends
First End Groove Diameter And Location:
0.719 inches both ends
First End Groove Width And Location:
0.202 inches both ends
First End Length From Groove To End And Location:
0.308 inches both ends
Special Features:
Hub has internal serrations
Material:
Steel
Material:
Steel
Surface Treatment:
Phosphate
Style Designator:
Plain
Surface Treatment:
Phosphate
Shelf Life:
N/a
Unit Of Measure:

NSN 3020-00-914-2050

Sprocket Wheel - Page 3 of 3



Demilitarization:

No

Fiig:

Т353-с