NSN 3020-00-914-2832

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-914-2832 **Body Style:** Webbed, offset, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.9166 inches **Teeth Quantity:** 66 **Bore Style:** Plain both ends **Mounting Hole Type And Quantity:** 3 plain transversely through hub, first end **Outside Diameter:** 0.9436 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.0850 inches first end **Body Recess Depth:** 0.0680 inches second end **Face Width:** 0.120 inches **Bore Diameter:** 0.2193 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.4680 inches first end **Mounting Hole Diameter:** 0.066 inches transversely through hub, first end **Bolt Hole Circle Diameter:** 0.340 inches transversely through hub, first end Material: Steel comp 302 **Material Specification:** Mil-s-7720 military specification single material response **Surface Treatment: Passivate**

Style Designator:
Protruding hub, recessed body

NSN 3020-00-914-2832

Spur Gear - Page 2 of 2



Shelf L	.ife:
---------	-------

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.