## NSN 3020-00-920-3282

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-920-3282

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.4583 inches
Teeth Quantity:
22
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
56 transversely through hub, first end
Mounting Hole Thread Size:
0.086 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
0.500 inches
Nominallength:
0.312 inches
Tooth Form:
Standard
Standard  Pressure Angle:
Pressure Angle:
Pressure Angle: 20.0000 degrees
Pressure Angle: 20.0000 degrees Distance Between Body Face And Protruding Hub End:
Pressure Angle: 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.187 inches first end
Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.187 inches first end Face Width:
Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.187 inches first end Face Width: 0.125 inches
Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.187 inches first end  Face Width: 0.125 inches  Bore Diameter:
Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.187 inches first end Face Width: 0.125 inches Bore Diameter: 0.125 inches both ends
Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.187 inches first end  Face Width: 0.125 inches  Bore Diameter: 0.125 inches both ends  Hub Style Designator:
Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.187 inches first end  Face Width: 0.125 inches  Bore Diameter: 0.125 inches both ends  Hub Style Designator:  Pinned first end
Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.187 inches first end Face Width: 0.125 inches Bore Diameter: 0.125 inches both ends Hub Style Designator: Pinned first end Hub Diameter:
Pressure Angle: 20.0000 degrees  Distance Between Body Face And Protruding Hub End: 0.187 inches first end  Face Width: 0.125 inches  Bore Diameter: 0.125 inches both ends  Hub Style Designator: Pinned first end  Hub Diameter: 0.312 inches first end

Material

Steel comp 303se and steel comp 303

## NSN 3020-00-920-3282

Spur Gear - Page 2 of 2



Material Specification	วท	
------------------------	----	--

Mil-s-7720, comp 303 se military specification single material response and mil-s-7720, comp 303 s military specification single material response

**Surface Treatment:** 

**Passivate** 

Style Designator:

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.