

View Online at <https://aerobasegroup.com/nsn/3020-00-920-6822>

Groove Depth:

0.562 inches

Groove Width:

0.625 inches

Outside Diameter:

9.000 inches

Overall Length:

1.938 inches

Keyway Width:

0.625 inches

Thread Size:

1/4-20 or 5/16-18

Bore Diameter:

2.375 inches

Bore Length:

1.938 inches

Distance From Center Of Bore To Bottom Of Keyway:

1.344 inches

V Groove Angle In Deg:

36.0

Pitch Diameter:

8.600 inches

Securing Hole Quantity:

1 or 3

Material And Location:

Steel

Face Width:

1.750 inches

Design Form:

Spoked or webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

2

Counterbore Feature:

Not included

Hole Location:

On hub above keyway, 3 120 degrees apart on face of bushing

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Threaded hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Plain

Securing Location:

Aa end

Hub End Outside Diameter And Location:

3.750 inches aa end and 4.125 inches bb end

Distance From Outside Flange/rim To Hub End And Location:

0.188 inches aa end

Quantity:

1

Style Designator:

Webbed or spoked

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a