## NSN 3020-00-921-7348

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-921-7348 **Body Style:** Plain, solid **Attachment Method:** Mounting hole **End Application:** F8261802 telescope mount Pitch Diameter: 0.4170 inches **Teeth Quantity:** 20 **Bore Style:** Plain first end **Mounting Hole Thread Series Designator:** Unf axially through flange **Mounting Hole Thread Size:** 0.086 inches axially through flange **Mounting Hole Type And Quantity:** 1 threaded axially through flange **Outside Diameter:** 0.459 inches **Tooth Form:** Standard Pressure Angle: 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.185 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 

0.156 inches first end

**Hub Style Designator:** 

Pinned first end

**Hub Diameter:** 

0.360 inches first end

**Special Features:** 

63aa bore finish; 0.052 hole to drill-pt depth 90 degrees from 0.086 diameter hoa hole on same c/l

Material:

Steel comp 303

**Material Specification:** 

Astm a582 assn standard single material response

**Surface Treatment:** 

**Passivate** 

## NSN 3020-00-921-7348

Spur Gear - Page 2 of 2



Sty	le	De	sia	na	tor:	

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300