NSN 3020-00-925-3268



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-925-3268 **Body Style:** Plain, with lightening holes **Spline Quantity:** 22 both ends Pitch Diameter: 3.0222 inches **Teeth Quantity:** 34 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 0.8500 inches both ends **Hardness Rating:** 58.0 rockwell c and 62.0 rockwell c **Outside Diameter:** 3.202 inches Nominallength: 0.765 inches **Tooth Form:** Standard **Pressure Angle:** 25.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.408 inches first end **Face Width:** 0.375 inches **Bore Diameter:** 0.876 inches both ends **Counterbore Depth:** 0.085 inches both ends **Counterbore Diameter:** 0.611 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.381 inches second end **Precision Classification:** Quality number 3

Material:

Steel comp e9310

Material Specification:

Ams 6260 assn standard single material response

NSN 3020-00-925-3268

Spur Gear - Page 2 of 2



Ctv/la	n Da	eian	ator:
OLYN	- 00	əiyii	atoi.

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300