NSN 3020-00-927-7585

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-927-7585

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
2.8125 inches
Teeth Quantity:
180
Backlash Designation:
Grade c
Outside Diameter:
2.844 inches
Nominallength:
0.437 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.062 inches second end
Face Width:
0.125 inches
Hub Diameter:
0.751 inches second end
Precision Classification:
Quality number 10 or quality number 11
First Step Length:
0.093 inches first end
First Step Diameter:
1.750 inches first end
Mounting Hole Diameter:
0.112 inches axially through hub, first end
Bolt Hole Circle Diameter:
0.438 inches axially through hub, first end
Material:
Steel comp 416
Material Specification:
Qq-s-764, type 416 cond a federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hubs

NSN 3020-00-927-7585

Spur Gear - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J	116		_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300