NSN 3020-00-929-5312

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-929-5312

| view Online at https://aeiobasegioup.com/hsi/3020-00-323- |
|---|
| Body Style: |
| Plain, solid |
| Attachment Method: |
| Mounting hole |
| Pitch Diameter: |
| 1.2500 inches |
| Teeth Quantity: |
| 60 |
| Bore Style: |
| Plain both ends |
| Mounting Hole Thread Series Designator: |
| Unc axially through hub, second end |
| Mounting Hole Thread Size: |
| 0.086 inches axially through hub, second end |
| Mounting Hole Type And Quantity: |
| 3 threaded axially through hub, second end |
| Outside Diameter: |
| 1.292 inches |
| Tooth Form: |
| Standard |
| Pressure Angle: |
| 20.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.062 inches first end |
| Face Width: |
| 0.125 inches |
| Bore Diameter: |
| 0.386 inches both ends |
| Hub Style Designator: |
| Plain both ends |
| Hub Diameter: |
| 0.875 inches both ends |
| Bolt Hole Circle Diameter: |
| 0.625 inches axially through hub, second end |
| Material: |
| Plastic acetal |
| Style Designator: |
| Protruding hubs |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |

NSN 3020-00-929-5312

Spur Gear - Page 2 of 2

Demilitarization:

No

Fiig:

A27300

