## NSN 3020-00-933-0629

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-933-0629

Body Style:
Plain, solid
Pitch Diameter:
Between 0.4993 inches and 0.5000 inches
Teeth Quantity:
24
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Hardness Rating:
75.0 rockwell b and 83.0 rockwell b
Outside Diameter:
0.541 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.218 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.375 inches first end
Precision Classification:
Quality number 12
Material:
Steel comp 303
Material Specification:
Qq-s-764, type 303 federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35, type 2 federal specification single treatment response
Style Designator:
Protruding hub
Furnished Items And Quantity:
1 setscrew

## NSN 3020-00-933-0629

Spur Gear - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300