## NSN 3020-00-937-4354

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-937-4354

## Body Style:

Webbed, with lightening holes

## Spline Quantity:

17 both ends

## Pitch Diameter:

3.0222 inches

## Teeth Quantity:

34

#### Bore Style:

Involute spline both ends

#### Spline Pitch Diameter:

0.8500 inches both ends

#### Hardness Rating:

58.0 rockwell c teeth and 62.0 rockwell c teeth

#### Outside Diameter:

3.200 inches

## Nominallength:

1.123 inches

## Tooth Form:

Standard

#### Pressure Angle:

25.0000 degrees

#### Distance Between Body Face And Protruding Hub End:

0.495 inches first end

#### Face Width:

0.258 inches

#### Bore Diameter:

0.838 inches both ends

#### **Counterbore Depth:**

0.092 inches second end

#### Counterbore Diameter:

1.000 inches second end

#### Hub Style Designator:

Plain first end

#### Hub Diameter:

1.383 inches second end

#### First Groove Width:

0.279 inches second end

#### First Groove Diameter:

1.218 inches second end

#### Distance From End To First Groove:

0.068 inches second end

# NSN 3020-00-937-4354

Spur Gear - Page 2 of 2



Material:

Steel comp e9310

#### Material Specification:

Ams 6260 assn standard single material response

#### Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

---

### Demilitarization:

Yes - demil/mli

#### Fiig:

A27300