NSN 3020-00-937-4355

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-937-4355 **Body Style:** Webbed, with lightening holes **Spline Quantity:** 22 both ends Pitch Diameter: 3.1110 inches **Teeth Quantity:** 35 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 1.0000 inches both ends **Hardness Rating:** 80.0 rockwell a and 83.0 rockwell a **Outside Diameter:** 3.300 inches Nominallength: 0.961 inches **Tooth Form:** Standard **Pressure Angle:** 25.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.233 inches first end **Face Width:** 0.612 inches **Bore Diameter:** 1.071 inches both ends **Counterbore Depth:** 0.290 inches both ends **Counterbore Diameter:** 1.218 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.219 inches second end Material: Steel comp e9310 **Material Specification:**

Surface Treatment:

Ams 6260 assn standard single material response

Chromium hub

NSN 3020-00-937-4355

Spur Gear - Page 2 of 2



Sty	16	u	=5	ıu	 aı	u	ч.	_

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300